
## TECHNICAL DATASHEET

## **SNOW-S 5W SMD**

15-02-2021





## VT/SNOW-S/5W/SMD/6400K/WHT/220V/SQUARE/LED SPOT

NOTES

<b>General Informations</b>		
Stock Code	2023220	
HSC/GTIP Code	9405.10.91.50.00	
EAN-13 (Inbox Barcode)	6970233833796	
ITF-14 (Outbox Barcode)	26970233833790	

Electrical Characteristics		
Current Type	AC	
Operation Voltage	100-240 Volt	
Operation Frequency	50/60 Hertz	
Electrical Current	0,045 Amper	
Power	5 Watt	
Power Factor	>0.5	
Luminous Efficiency	90 lumen/Watt	
Energy Savings	0,86	
Dimmable	No	
Electrical Protection Class	Class II	

Electrical Compo	onent Specifications
Component Fitting Type	Internal Driver

Component Fitting Type	Internal Driver
Driver Input Voltage	100-240 Volt
Driver Input Current	0,045 Amper
Driver Output Voltage	12-21 Volt
Driver Output Current	0,3 Amper

Lighting Characteristics		
Luminous Flux	450 lumen	
Time for 60% of Lumen	<0.5 seconds	
Light Beam Angle	70°	
Flicker	No	
LED Type	SMD	

Mechanical Parameters		
IP Protection Class	IP20	
Switch On/Off Cycle	30000	
Lifetime	30000 hours	
Body Material	Plastic & Aluminum	
Body Colour	White	
Cut-Hole Sizes	Ø72 milimeter	
Product Height	45 milimeter	
Product Width	88 milimeter	
Product Depth	88 milimeter	
Ambient Temperature (Ta)	-25°C <ta<50°c< td=""></ta<50°c<>	

## Logistic Informations

Logistic II	ioimations
Outbox Length	530 millimeter
Outbox Width	225 millimeter
Outbox Height	305 millimeter
Outbox Volume	0,03637 m^3
Outbox Quantity	50 pieces
Unit Net Weight	0,066 kilogram
Outbox Net Weight	3,29 kilogram
Outbox Gross Weight	5,4 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.

