
FICHE TECHNIQUE

CAPTEUR TIGRIS-S 30W IP44

08-02-2021







VT / TIGRIS-S / 30W / SMD / 3000K / IP44 / 220V / CAPTEUR / LED FL.

EMABOLIES

Illioi illations generales		
Code de stock	3021390	
Code HSC / GTIP	9405 40 10 00 00	

 Code HSC / GTIP
 9405.40.10.00.00

 EAN-13 (Inbox Barcode)
 6970233832331

 ITF-14 (Outbox Barcode)
 36970233832332

Electrical Characteristics

Current Type	AC
Operation Voltage	220-240 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,15 Amper
Power	30 Watt
Power Factor	>0.9
Luminous Efficiency	95 lumen/Watt
Energy Savings	0,82
Dimmable	No
Electrical Protection Class	Class I

Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Input Voltage	220-240 Volt
Driver Input Current	0,15 Amper

Lighting Characteristics

Luminous Flux	2850 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	120°
Flicker	No
LED Type	SMD

Mechanical Parameters

IP Protection Class	IP44
Switch On/Off Cycle	15000
Lifetime	50000 hours
Body Material	Glass & Aluminum
Body Colour	Grey & White
Diffuser Material	Tempered Glass
Product Height	176 milimeter
Product Width	211 milimeter
Product Depth	32 milimeter
Ambient Temperature (Ta)	-20°C <ta<45°c< td=""></ta<45°c<>

Logistic Informations

Outbox Length	510 millimeter
Outbox Width	305 millimeter
Outbox Height	470 millimeter
Outbox Volume	0,07311 m^3
Outbox Quantity	16 pieces
Unit Net Weight	1,04 kilogram
Outbox Net Weight	16,64 kilogram
Outbox Gross Weight	20,06 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and installation

