


# TECHNICAL DATASHEET

## DECOART C35 40W E14

31-03-2021



VITOONE/DECOART/C35/40W/E14/CARBON FILAMENT

NOTES

### General Informations

Stock Code	1010960
HSC/GTIP Code	8539.29.92.00.11
EAN-13 (Inbox Barcode)	8697451402310
ITF-14 (Outbox Barcode)	18697451402317

### Electrical Characteristics

Current Type	AC
Operation Voltage	220-240 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,11 Amper
Power	40 Watt
Power Factor	>0.95
Luminous Efficiency	6 lumen/Watt
Dimmable	Yes
Electrical Protection Class	Class II

### Lighting Characteristics

Luminous Flux	250 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	360°
Flicker	No

### Mechanical Parameters

Bulb Body Shape	C35
IP Protection Class	IP20
Switch On/Off Cycle	30000
Switch On/Off Cycle	10000
Lifetime	3000 hours
Body Material	Glass & Aluminum
Diffuser Material	Glass
Product Height	97 millimeter
Product Width	Ø35 millimeter
Ambient Temperature (Ta)	-20°C<Ta<40°C

### Logistic Informations

Outbox Length	380 millimeter
Outbox Width	200 millimeter
Outbox Height	220 millimeter
Outbox Volume	0,01672 m <sup>3</sup>
Outbox Quantity	100 pieces
Unit Net Weight	0,013 kilogram
Outbox Net Weight	1,25 kilogram
Outbox Gross Weight	2,27 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.