


# TECHNICAL DATASHEET

## EVA-2 3W

04-02-2021



VT/EVA-2/3W/SMD/3000K/Ø35MM/220V/LED CABINET LIGHT

NOTES

### General Informations

Stock Code	5720081
HSC/GTIP Code	9405.10.91.50.00
EAN-13 (Inbox Barcode)	8697451408985
ITF-14 (Outbox Barcode)	58697451408980

### Electrical Characteristics

Current Type	AC
Operation Voltage	100-240 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,03 Amper
Power	3 Watt
Power Factor	>0.5
Luminous Efficiency	75 lumen/Watt
Energy Savings	0,87
Dimmable	No
Electrical Protection Class	Class II

### Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Input Voltage	100-240 Volt
Driver Input Current	0,03 Amper

### Lighting Characteristics

Luminous Flux	225 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	30°
Flicker	No
LED Type	COB

### Mechanical Parameters

IP Protection Class	IP20
Switch On/Off Cycle	30000
Lifetime	50000 hours
Body Material	Glass & Aluminum
Body Colour	White
Cut-Hole Sizes	Ø35 millimeter
Product Height	25 millimeter
Product Width	Ø40 millimeter
Ambient Temperature (Ta)	-30°C<Ta<50°C

### Logistic Informations

Outbox Length	350 millimeter
Outbox Width	155 millimeter
Outbox Height	225 millimeter
Outbox Volume	0,01221 m <sup>3</sup>
Outbox Quantity	50 pieces
Unit Net Weight	0,056 kilogram
Outbox Net Weight	2,8 kilogram
Outbox Gross Weight	3,96 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.