


TECHNICAL DATASHEET

SPOTLED-2 12VDC 6W GU5.3 MR16 9LENS

16-12-2020



VO/SPOTLED-2/12VDC/6W/SMD/GU5.3/MR16/27K/9LNS/CBOX

NOTES

General Informations

Stock Code	1513700
HSC/GTIP Code	8539.50.00.00.00
EAN-13 (Inbox Barcode)	6970233832690
ITF-14 (Outbox Barcode)	16970233832697

Lighting Characteristics

Luminous Flux	486 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	38°-120°
Flicker	No
LED Type	SMD 2835

Electrical Characteristics

Current Type	DC
Operation Voltage	12 Volt
Electrical Current	0,041 Amper
Power	6 Watt
Power Factor	>0.5
Luminous Efficiency	81 lumen/Watt
Energy Savings	0,85
Dimmable	No
Electrical Protection Class	Class II

Mechanical Parameters

Bulb Body Shape	MR16
IP Protection Class	IP20
Switch On/Off Cycle	30000
Lifetime	35000 hours
Body Material	Plastic & Aluminum
Body Colour	White
Diffuser Material	PC
Product Height	50 millimeter
Product Width	Ø50 millimeter
Ambient Temperature (Ta)	-20°C<Ta<40°C

Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Properties	IC
Driver Input Voltage	12 Volt
Driver Input Current	0,041 Amper

Logistic Informations

Inbox Length	50 millimeter
Inbox Width	50 millimeter
Inbox Height	55 millimeter
Outbox Length	515 millimeter
Outbox Width	242 millimeter
Outbox Height	167 millimeter
Outbox Volume	0,02081 m ³
Midbox Quantity	12 pieces
Outbox Quantity	72 pieces
Unit Net Weight	0,021 kilogram
Outbox Net Weight	1,5 kilogram
Outbox Gross Weight	3,2 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.